



Adobe LiveCycle ES Foundation-based solution components	Additional solution components
LiveCycle Barcoded Forms ES	LiveCycle Data Services ES
LiveCycle Business Activity Monitoring ES	LiveCycle Production Print ES
LiveCycle Content Services ES	<b>Development tools</b>
LiveCycle Digital Signatures ES	LiveCycle Designer ES
LiveCycle Connectors for ECM ES	LiveCycle Workbench ES
LiveCycle Forms ES	
LiveCycle Output ES	
LiveCycle PDF Generator ES	
LiveCycle PDF Generator 3D ES	
LiveCycle Process Management ES	
LiveCycle Reader Extensions ES	
LiveCycle Rights Management ES	<p>Adobe and LiveCycle are registered trademarks of Adobe Systems Incorporated.                  © 2008 Adobe Systems Incorporated. All Rights Reserved. June 2008</p> 



Solution component	Operating system	Application server	JDK	Database	Hardware requirements	Additional (all combinations)
<p>Adobe LiveCycle ES</p> <ul style="list-style-type: none"> <li>• Barcoded Forms</li> <li>• Business Activity Monitoring*</li> <li>• Content Services</li> <li>• Digital Signatures</li> <li>• Connectors for ECM</li> <li>• Forms</li> <li>• Output</li> <li>• PDF Generator</li> <li>• PDF Generator 3D</li> <li>• Process Management</li> <li>• Reader Extensions</li> <li>• Rights Management</li> </ul>	<p>Microsoft® Windows® Server 2003, Enterprise Edition, Standard Edition, SP1 and R2 (32bit architectures)</p>	<p>JBoss 4.0.3SP1</p>	<p>Sun JDK 5.0 Update 11 or later updates to 5.0</p>	<p>MySQL 5.0 IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MS SQL Server 2005 SP1 (SP2*) (Standard and Enterprise Edition)</p>	<p>Intel® Pentium® 4 or AMD x86 or x86/64 or equivalent, 1GHz processor, VMWare ESX &amp; GSX 2GB RAM min</p>	<p>Certified LC8 LDAP List</p> <ul style="list-style-type: none"> <li>• Sun ONE 5.1</li> <li>• Sun ONE 5.2</li> <li>• Microsoft Active Directory 2000</li> <li>• Microsoft Active Directory 2003</li> <li>• IBM Tivoli Directory Server 6.0</li> <li>• Novell eDirectory 8.7.3</li> <li>• Lotus Domino 8.x</li> </ul>
		<p>BEA WebLogic 9.2, (Advantage &amp; Premium)</p>	<p>BEA JRockit® JDK</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MS SQL Server 2005 SP1 (SP2*) (Standard and Enterprise Edition)</p>		
		<p>BEA WebLogic 10, (Advantage &amp; Premium)</p>	<p>BEA JRockit® JDK</p>	<p>MySQL 5.0</p>		
		<p>IBM® WebSphere 6.1.0.7 (Base Edition &amp; Network Deployment Edition)</p>	<p>JDK supplied with application server</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MS SQL Server 2005 SP1 (SP2*) (Standard and Enterprise Edition)</p>		
		<p>JBoss 4.2.0 EAP (64 bit application server and JDK)</p>	<p>Sun JDK 5.0 Update 11 or later updates to 5.0</p>	<p>MySQL 5.0 IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MS SQL Server 2005 SP1 (SP2*) (Standard and Enterprise Edition)</p>		
<p>* LiveCycle BAM ES and BAM ES Extended are not LiveCycle ES Foundation-based Solution Components but have the same Platform support as the other solution components.</p>	<p>Microsoft Windows Server 2003, Enterprise Edition, Standard Edition, SP1 and R2 (64bit architectures)</p>	<p>BEA WebLogic 10, (Advantage &amp; Premium) (64 bit application server and JDK)</p>	<p>BEA JRockit® JDK</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MS SQL Server 2005 SP1 (SP2*) (Standard and Enterprise Edition)</p>	<p>Intel® Pentium® 4 x86/64 or equivalent, 1GHz processor, VMWare ESX &amp; GSX 3GB RAM min</p>	<p>Email support</p> <ul style="list-style-type: none"> <li>• Exchange 2000</li> <li>• Exchange 2003</li> <li>• Exchange 2007</li> <li>• Lotus Domino 6/7</li> <li>• SendMail (included with RedHat 4)</li> <li>• Novel GroupWise 6/7</li> </ul>
		<p>IBM® WebSphere 6.1.0.7 (Base Edition &amp; Network Deployment Edition) (64 bit application server and JDK)</p>	<p>JDK supplied with application server</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MS SQL Server 2005 SP1 (SP2*) (Standard and Enterprise Edition)</p>		



Solution component	Operating system	Application server	JDK	Database	Hardware requirements	Additional (all combinations)
<p>Adobe LiveCycle ES</p> <ul style="list-style-type: none"> <li>• Barcoded Forms</li> <li>• Business Activity Monitoring*</li> <li>• Content Services</li> <li>• Digital Signatures</li> <li>• Connectors for ECM</li> <li>• Forms</li> <li>• Output</li> <li>• PDF Generator</li> <li>• PDF Generator 3D</li> <li>• Process Management</li> <li>• Reader Extensions</li> <li>• Rights Management</li> </ul> <p>* LiveCycle BAM ES and BAM ES Extended are not LiveCycle ES Foundation-based Solution Components but have the same Platform support as the other solution components.</p>	<p>Red Hat® Enterprise Linux ES and AS 4.0 (32bit architectures)</p> <p>SUSE Linux® Enterprise Server 9.0 (32bit architectures)</p>	JBoss 4.0.3SP1	Sun JDK 5.0 Update 11 or later updates to 5.0	IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MySQL 5	<p>Intel® Pentium® 4 or AMD x86 or x86/64 or equivalent, 1GHz processor 2GB RAM min</p>	<p>Certified LC8 LDAP List</p> <ul style="list-style-type: none"> <li>• Sun ONE 5.1</li> <li>• Sun ONE 5.2</li> <li>• Microsoft Active Directory 2000</li> <li>• Microsoft Active Directory 2003</li> <li>• IBM Tivoli Directory Server 6.0</li> <li>• Novell eDirectory 8.7.3</li> <li>• Lotus Domino 8.x</li> </ul> <p>Email support</p> <ul style="list-style-type: none"> <li>• Exchange 2000</li> <li>• Exchange 2003</li> <li>• Exchange 2007</li> <li>• Lotus Domino 6/7</li> <li>• SendMail (included with RedHat 4)</li> <li>• Novel GroupWise 6/7</li> </ul>
		BEA WebLogic 9.2, (Advantage & Premium)	BEA JRockit® JDK	Oracle 9i Oracle 10g		
		IBM® WebSphere 6.1.0.7 (Base Edition & Network Deployment Edition)	JDK supplied with application server	IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g		
	<p>Red Hat® Enterprise Linux Server and AS 5.0 (64bit architectures)</p>	JBoss 4.2.0 EAP (64 bit application server and JDK)	Sun JDK 5.0 Update 11 or later updates to 5.0	IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g MySQL 5	<p>Intel® Pentium® 4 x86/64 or equivalent, 1GHz processor 3GB RAM min</p>	
		BEA WebLogic 10, (Advantage & Premium) (64 bit application server and JDK)	BEA JRockit® JDK	Oracle 9i Oracle 10g		
		IBM® WebSphere 6.1.0.7 (Base Edition & Network Deployment Edition) (64 bit application server and JDK)	JDK supplied with application server	IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g		



Solution component	Operating system	Application server	JDK	Database	Hardware requirements	Additional (all combinations)
<p>Adobe LiveCycle ES</p> <ul style="list-style-type: none"> <li>• Barcoded Forms</li> <li>• Business Activity Monitoring*</li> <li>• Content Services</li> <li>• Digital Signatures</li> <li>• Connectors for ECM</li> <li>• Forms</li> <li>• Output</li> <li>• PDF Generator</li> <li>• PDF Generator 3D</li> <li>• Process Management</li> <li>• Reader Extensions</li> <li>• Rights Management</li> </ul> <p>* LiveCycle BAM ES and BAM ES Extended are not LiveCycle ES Foundation-based Solution Components but have the same Platform support as the other solution components.</p>	<p>IBM® AIX® 5L 5.3 (64 bit architectures)</p>	<p>IBM® WebSphere 6.1.0.7 (Base Edition &amp; Network Deployment Edition) (32 bit application server and JDK)</p>	<p>JDK supplied with application server</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g</p>	<p>P4 pSeries 615 (Model 6C3) 7029-6C3, 1.2 GHZ processor 3GB RAM min</p>	<p>Certified LC8 LDAP List</p> <ul style="list-style-type: none"> <li>• Sun ONE 5.1</li> <li>• Sun ONE 5.2</li> <li>• Microsoft Active Directory 2000</li> <li>• Microsoft Active Directory 2003</li> <li>• IBM Tivoli Directory Server 6.0</li> <li>• Novell eDirectory 8.7.3</li> <li>• Lotus Domino 8.x</li> </ul> <p>Email support</p> <ul style="list-style-type: none"> <li>• Exchange 2000</li> <li>• Exchange 2003</li> <li>• Exchange 2007</li> <li>• Lotus Domino 6/7</li> <li>• SendMail (included with RedHat 4)</li> <li>• Novel GroupWise 6/7</li> </ul>
	<p>IBM AIX 5L 5.3 (64 bit architectures)</p>	<p>IBM® WebSphere 6.1.0.7 (Base Edition &amp; Network Deployment Edition) (64 bit application server and JDK)</p>	<p>JDK supplied with application server</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g</p>	<p>P4 pSeries 615 (Model 6C3) 7029-6C3, 1.2 GHZ processor 3GB RAM min</p>	



Solution component	Operating system	Application server	JDK	Database	Hardware requirements	Additional (all combinations)
<p>Adobe LiveCycle ES</p> <ul style="list-style-type: none"> <li>• Barcoded Forms</li> <li>• Business Activity Monitoring*</li> <li>• Content Services</li> <li>• Digital Signatures</li> <li>• Connectors for ECM</li> <li>• Forms</li> <li>• Output</li> <li>• PDF Generator</li> <li>• PDF Generator 3D</li> <li>• Process Management</li> <li>• Reader Extensions</li> <li>• Rights Management</li> </ul> <p>* LiveCycle BAM ES and BAM ES Extended are not LiveCycle ES Foundation-based Solution Components but have the same Platform support as the other solution components.</p>	<p>Sun™ Solaris™ 9 and 10 (SPARC® 64 bit architectures)</p>	<p>BEA WebLogic 9.2, (Advantage &amp; Premium) (32 bit application server and JDK)</p>	<p>Sun JDK supplied with application server</p>	<p>Oracle 9i Oracle 10g</p>	<p>Sun UltraSPARC® IJe, 650 MHz processor 3GB RAM min</p>	<p>Certified LC8 LDAP List</p> <ul style="list-style-type: none"> <li>• Sun ONE 5.1</li> <li>• Sun ONE 5.2</li> <li>• Microsoft Active Directory 2000</li> <li>• Microsoft Active Directory 2003</li> <li>• IBM Tivoli Directory Server 6.0</li> <li>• Novell eDirectory 8.7.3</li> <li>• Lotus Domino 8.x</li> </ul> <p>Email support</p> <ul style="list-style-type: none"> <li>• Exchange 2000</li> <li>• Exchange 2003</li> <li>• Exchange 2007</li> <li>• Lotus Domino 6/7</li> <li>• SendMail (included with RedHat 4)</li> <li>• Novel GroupWise 6/7</li> </ul>
		<p>IBM® WebSphere 6.1.0.7 (Base Edition &amp; Network Deployment Edition) (32 bit application server and JDK)</p>	<p>JDK supplied with application server</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g</p>		
	<p>Sun Solaris 10 (SPARC® 64 bit architectures)</p>	<p>JBoss 4.2.0 EAP (64 bit application server and JDK)</p>	<p>Sun JDK 5.0 Update 11 or later updates to 5.0</p>	<p>Oracle 9i Oracle 10g</p>	<p>Sun UltraSPARC® IJe, 650 MHz processor 3GB RAM min</p>	
		<p>BEA WebLogic 9.2, (Advantage &amp; Premium) (64 bit application server and JDK)</p>	<p>Sun JDK supplied with application server</p>	<p>Oracle 9i Oracle 10g</p>		
		<p>BEA WebLogic 10, (Advantage &amp; Premium) (64 bit application server and JDK)</p>	<p>Sun JDK supplied with application server</p>	<p>Oracle 9i Oracle 10g</p>		
		<p>IBM® WebSphere 6.1.0.7 (Base Edition &amp; Network Deployment Edition) (64 bit application server and JDK)</p>	<p>JDK supplied with application server</p>	<p>IBM DB2 V9.1, V8.2 or V8.1 FP 7a Oracle 9i Oracle 10g</p>		



Solution component	Operating System	Application Server	JDK	OS / JVM architecture	Hardware requirements	Notes
	Microsoft Windows Svr 2003 SP2 & R2 SP2	<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM,</li> <li>64 OS / 64 JVM</li> </ul>	x86/64	
		<ul style="list-style-type: none"> <li>WebLogic 9.2</li> <li>WebLogic 10</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5,</li> <li>Jrockit 5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> <li>64 OS / 64 JVM</li> </ul>	x86/64	
		<ul style="list-style-type: none"> <li>SAP NetWeaver 7.1</li> </ul>	<ul style="list-style-type: none"> <li>SAP 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	x64	
		<ul style="list-style-type: none"> <li>OC4J 10.1.3.3,</li> <li>Jboss 4.2.x</li> <li>Jboss 4.0.3SP1</li> <li>Apache Tomcat 6.0.x</li> <li>Adobe JRun 4 U7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> <li>64 OS / 64 JVM</li> </ul>	x86/64	
Adobe LiveCycle Data Services ES		<ul style="list-style-type: none"> <li>NEC WebOTX 7.1</li> <li>Interstage 9</li> <li>Cosminexus 7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> <li>64 OS / 64 JVM</li> </ul>	x86/64	Japan Only
		<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64	
	<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	64bit zSeries		
	<ul style="list-style-type: none"> <li>WebLogic 9.2, 10</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> <li>Jrockit 5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64		
	<ul style="list-style-type: none"> <li>SAP NetWeaver 7.1</li> </ul>	<ul style="list-style-type: none"> <li>SAP 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	X64		
	<ul style="list-style-type: none"> <li>OC4J 10.1.3.3</li> <li>Jboss 4.2.x</li> <li>Jboss 4.0.3SP1</li> <li>Apache Tomcat 6.0.x</li> <li>Adobe JRun 4 U7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64		
IBM AIX 5.3		<ul style="list-style-type: none"> <li>Interstage 9</li> <li>Cosminexus 7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64	Japan Only
		<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>		64bit	



Solution component	Operating System	Application Server	JDK	OS / JVM architecture	Hardware requirements	Notes
	RedHat AS/ES 4.0	<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64	
		<ul style="list-style-type: none"> <li>WebLogic 9.2</li> <li>WebLogic 10</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5,</li> <li>Jrockit 5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64	
		<ul style="list-style-type: none"> <li>SAP NetWeaver 7.1</li> </ul>	<ul style="list-style-type: none"> <li>SAP 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	x64	
		<ul style="list-style-type: none"> <li>OC4J 10.1.3.3</li> <li>Jboss 4.2.x</li> <li>Jboss 4.0.3SP1</li> <li>Apache Tomcat 6.0.x</li> <li>Adobe JRun 4 U7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64	
		<ul style="list-style-type: none"> <li>NEC WebOTX 7.1</li> <li>Interstage 9</li> <li>Cosminexus 7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>32 OS / 32 JVM</li> </ul>	x86/64	Japan Only
		<ul style="list-style-type: none"> <li>Cosminexus 7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	IPF, Itanium 2	Japan Only
		<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	x86/64	
Adobe LiveCycle Data Services ES	RedHat AS/ES 5.0	<ul style="list-style-type: none"> <li>WebLogic 9.2, 10</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> <li>Jrockit 5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	x86/64	
		<ul style="list-style-type: none"> <li>SAP NetWeaver 7.1</li> </ul>	<ul style="list-style-type: none"> <li>SAP 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	X64	
		<ul style="list-style-type: none"> <li>OC4J 10.1.3.3</li> <li>Jboss 4.2.x</li> <li>Jboss 4.0.3SP1</li> <li>Apache Tomcat 6.0.x</li> <li>Adobe JRun 4 U7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	x86/64	
		<ul style="list-style-type: none"> <li>Interstage 9</li> <li>Cosminexus 7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	x86/64	Japan Only
		<ul style="list-style-type: none"> <li>NEC WebOTX 7.1</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS/ 64 JVM</li> </ul>	IPF	Japan Only
		<ul style="list-style-type: none"> <li>WebLogic 9.2</li> <li>WebLogic 10</li> </ul>	<ul style="list-style-type: none"> <li>HP 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS/ 64 JVM</li> </ul>	IPF, Itanium 2, PA/RISC	



Solution component	Operating System	Application Server	JDK	OS / JVM architecture	Hardware requirements	Notes
	Sun Solaris 9 SPARC	<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 32 JVM</li> </ul>	64bit	
		<ul style="list-style-type: none"> <li>WebLogic 9.2</li> <li>WebLogic 10</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5,</li> <li>Jrockit 5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 32 JVM</li> </ul>	64bit	
		<ul style="list-style-type: none"> <li>SAP NetWeaver 7.1</li> </ul>	<ul style="list-style-type: none"> <li>SAP 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	64bit	
		<ul style="list-style-type: none"> <li>OC4J 10.1.3.3</li> <li>Jboss 4.2.x</li> <li>Jboss 4.0.3SP1</li> <li>Apache Tomcat 6.0.x</li> <li>Adobe JRun 4 U7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 32 JVM</li> </ul>	64bit	
Adobe LiveCycle Data Services ES						
		<ul style="list-style-type: none"> <li>Interstage 9</li> <li>Cosminexus 7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 32 JVM</li> </ul>	64bit	Japan Only
	Sun Solaris 10 SPARC	<ul style="list-style-type: none"> <li>WebSphere 6.1.x</li> </ul>	<ul style="list-style-type: none"> <li>IBM 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	64bit	
		<ul style="list-style-type: none"> <li>WebLogic 9.2, 10</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> <li>Jrockit 5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	64bit	
		<ul style="list-style-type: none"> <li>SAP NetWeaver 7.1</li> </ul>	<ul style="list-style-type: none"> <li>SAP 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	64bit	
<ul style="list-style-type: none"> <li>OC4J 10.1.3.3</li> <li>Jboss 4.2.x</li> <li>Jboss 4.0.3SP1</li> <li>Apache Tomcat 6.0.x</li> <li>Adobe JRun 4 U7</li> </ul>		<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	64bit		
	<ul style="list-style-type: none"> <li>Interstage 9</li> <li>Cosminexus 7</li> </ul>	<ul style="list-style-type: none"> <li>Sun 1.5</li> </ul>	<ul style="list-style-type: none"> <li>64 OS / 64 JVM</li> </ul>	64bit	Japan Only	





Solution component	Operating system	Database	Hardware requirements
Adobe LiveCycle Production Print ES  Runtime	Microsoft Windows Server 2003, Enterprise Edition, Standard Edition, SP1 and R2 (32bit architectures)	IBM DB2 V8.2 or V8.1 FixPack 7a Oracle 10g MS SQL Server 2005 (Standard and Enterprise Edition)	Intel® Pentium® 3 or AMD x86 or x86/64 or equivalent, 1GHz processor or VMWare ESX/GSX
	Red Hat® Enterprise Linux ES and AS 4.0 (32bit architectures)	IBM DB2 V8.2 or V8.1 FixPack 7a Oracle 10g	Intel® Pentium® 3 or AMD x86 or x86/64 or equivalent, 1GHz processor
	SUSE Linux Enterprise Server 9.0 (32bit architectures)		
	IBM AIX 5L 5.3	IBM DB2 V8.2 or V8.1 FixPack 7a Oracle 10g	P4 pSeries 615 (Model 6C3) 7029-6C3, 1.2 GHZ processor
	Sun Solaris 9 and 10 (SPARC® Architectures)	IBM DB2 V8.2 or V8.1 FixPack 7a Oracle 10g	Sun UltraSPARC® IIe, 650 MHz processor
Adobe LiveCycle Production Print ES  Design Center	Microsoft Windows XP	N/A	Intel® Pentium® 3 or AMD x86 or x86/64 or equivalent, 1GHz processor

**Adobe LiveCycle Designer ES****Adobe LiveCycle Workbench ES****Processors**

Intel Pentium III at 450 MHz or equivalent processor

**Processors**

Intel Pentium 4 at 1GHz or equivalent processor

**Memory**

256 MB of RAM (512 Recommended)

**Memory**

1 GB of RAM

**Hard Disk**

350 MB of hard disk space

**Hard Disk**

800 MB of hard disk space, (1.4GB temp space for install)

**Operating systems**

Microsoft Windows XP Professional SP2,SP3 (32 & 64 bit)  
Microsoft Windows XP Home SP2 or SP3 (32 bit)  
Microsoft Windows XP Tablet PC SP2 or SP3 (32 bit)  
Microsoft Windows 2003 Server SP1 or SP2 (32 bit)  
Microsoft Vista Business SP1 (32 & 64 bit)  
Microsoft Vista Enterprise SP1 (32 & 64 bit)  
Microsoft Vista Home Premium SP1 (32 & 64 bit)  
Microsoft Vista Ultimate SP1 (32 & 64 bit)  
Microsoft Vista Home Basic SP1 (32 & 64 bit)

**Operating systems**

Microsoft Windows XP Professional SP2 and above (32 bit)  
Microsoft Windows XP Tablet PC SP2 and above (32 bit)  
Microsoft Windows Server® 2003 SP1 (32 & 64 bit)